

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problems Mailbox.**

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : H04L 12/18, 12/66		A2	(11) International Publication Number: WO 98/59461
			(43) International Publication Date: 30 December 1998 (30.12.98)
(21) International Application Number: PCT/SE98/01203			(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).
(22) International Filing Date: 22 June 1998 (22.06.98)			
(30) Priority Data: 9702383-2 23 June 1997 (23.06.97) SE			
(71) Applicants (for all designated States except US): TELEFON-AKTIEBOLAGET LM ERICSSON (publ) [SE/SE]; S-126 25 Stockholm (SE). TELIA AB [SE/SE]; S-123 86 Farsta (SE).			
(72) Inventors; and (75) Inventors/Applicants (for US only): KANTER, Theo [NL/SE]; Rönninge skolväg 35E, S-144 62 Rönninge (SE). GUSTAFSSON, Henrik [SE/SE]; Vendelsö skolväg 21, S-136 71 Haninge (SE).			
(74) Agents: HERBJØRNSSEN, Rut et al.; Albihns Patentbyrå Stockholm AB, P.O. Box 3137, S-103 62 Stockholm (SE).			

Published

Without international search report and to be republished upon receipt of that report.

(54) Title: METHOD AND DEVICE IN DATA NETWORK



(57) Abstract

The present invention relates to a method and an apparatus for making multi-party connections in an Internet Protocol (IP) network. A web page comprises a program, for example a Java applet, connecting the web page to a multi-party conference unit, MCU, in such a way that visitors to the web page will become members of a group meeting handled by the MCU. A voice gateway is used to connect ordinary telephones to the MCU.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

## Method and Device in Data Network

### Technical Field

The present invention relates to an apparatus for making multi-party connections in  
5 an Internet Protocol (IP) network.

### Background

In IP networks such as the Internet or corporate networks based on the same  
protocols, commonly referred to as Intranets, there is a demand for group  
10 communication tools which are easy to use.

A number of off-the-shelf solutions exist, for example, Microsoft Net-meeting,  
CommuniQué and CU-SeeMe.

All these tools facilitate group communication with some degree of interoperability  
15 between different types of clients and are fairly user-friendly. They do not, however,  
allow users with ordinary telephones. Also they are not fully integrated with web  
pages, in such a way that visiting a web page makes you a member of a group  
meeting.

20 The de facto standard for audio and video communication and signalling in an IP  
network is H.323. However, in the future this standard may be developed, and new  
standards may evolve. Therefore, any solution to these problems should

### Summary of the Invention

25 It is an object of the present invention to provide an apparatus to enable group  
communication between different kinds of terminals in a telecommunications or data  
network, including ordinary telephones.

It is another object of the present invention to enable a user in a telecommunications  
30 or data network to join a group meeting by visiting a web page.

It is yet another object of the present invention to provide a telephone which can perform a dial-in through a voice-gateway to be connected as an Internet telephone client in a web conference.

5

These objects are achieved by the present invention by combining a program connecting a multi-party conference unit (MCU) with a web page in such a way that visitors to the web page will become members of a group meeting handled by the MCU. The program must be written in a programming language which enables the

10

programming of interactive HTML applications. One such language available today is Java. A Java program run on the Internet is commonly referred to as a Java applet.

The solution according to the invention offers the following advantages:

- a user-friendly tool for establishing web meetings, which allows the inclusion of
- 15 ordinary telephones connected through the Public Services Telephone Network (PSTN).

### Brief Description of the Drawings

Figure 1 shows a group meeting with three participants according to the invention.

20

Figure 2A is a flow chart of the actions to be taken by a user who wishes to connect to a group meeting according to the invention using a computer.

Figure 2B is a flow chart of the actions to be taken by a user who wishes to connect

25 to a group meeting according to the invention using a telephone.

Figure 3 is a flow chart carried out by the computer program used to establish the group meeting.

### Detailed Description of Embodiments

Figure 1 is a schematic drawing of a group meeting according to the invention. The group meeting may be implemented in the Internet or in another IP based network. For simplicity, the network is referred to as the Internet in this document, with the understanding that the invention is not limited to the Internet.

A PSTN network 1 is connected to an IP network 3 via a voice gateway 5. The IP network may be the Internet, a company Intranet or another type of network based on the Internet Protocol. A Personal Computer (PC) 7 is connected through a telephone line via a call-up connection to the IP network 3. Another PC 9 is connected directly to the IP network 3. Other computer types, such as workstations may be connected as well, in similar ways, which are common in the art. To join a group meeting, the computers must have a microphone, and a headset or a loudspeaker. An ordinary telephone 11, connected to the PSTN network 1, may also be used to join the group meeting.

In the IP network, there are a number of web pages 13, to which each of the terminals 7, 9, 11 may connect. One web page 13 is adapted to connect whoever opens the web page to a multi-party conference unit 15.

When a computer user 7, 9 wishes to join a group meeting, he or she opens a standard Internet browser, for example Netscape, or Internet Explorer, and opens a web page 13. This web page 13 contains a computer program 17, which may be transmitted to the user's computer, designed to connect the user to a group meeting set up in the multi-party conference unit 15.

When a telephone user 5 wishes to join a group meeting, he or she dials a telephone number to be connected to the desired web page. The voice gateway 5 looks up the location of the multi-party conference unit 15 in the register unit 19 and establishes the connection this unit 15 through the IP network 3.

A multi-party connection between the three terminals in Figure 1 is indicated by the dotted lines.

- 5 When the connection has been established, the participants may communicate over the Internet. To end the connection, the computer users 7, 9 leave the web page. The telephone users 11 replace the hook on the telephone.

10 Users may be informed that a web meeting is to take place in a number of different ways, for example by e-mail. Another solution is to store information about web meetings, time and date, and who is to participate, in a web page. This web page may also include the hyperlink to the web page 13 containing the program, for example the Java applet, which will be downloaded to the user's computer 7, 9 and connect the user to the multi-party conference unit 15. Information about ongoing  
15 conferences, for example a list of participants, may also be presented on a web page.

Figure 2A is a flow chart of the actions to be taken by a computer user who wishes to join a group meeting according to the invention.

20 Step S21: The user opens an Internet browser on the computer. Any Internet browser may be used, for example Netscape or Internet Explorer.

Step S23: The user opens the web page specified for the meeting. This may be done in different ways. For example all concerned users may be informed about the address of the page by e-mail, or a special web page may be designed to hold information about group meetings and  
25 hyperlinks to the appropriate web pages.

The user is then connected to the group meeting and may participate for as long as he/she likes.

Step S25: When the user wishes to leave the group meeting, he/she leaves the web page and automatically exits from the meeting.

Figure 2B shows the actions taken when a telephone user wishes to join a group meeting according to the invention.

Step S27: The user dials the telephone number specified for the group meeting.

5 Step S28: The user is connected via the voice gateway to the multi-party conference unit for the meeting.

Step S29: When the user wishes to leave the meeting, he/she hangs up on the telephone in the normal way.

---

10 Figure 3 shows the actions taken by the computer program when a computer user opens the web page for the group meeting.

Step S31: The program retrieves the user address, that is, the IP address or port number of the user. How to do this is well known in the art.

Step S33: The program connects the user to the multi-party conference unit for the meeting.

15 Step S35: When the user leaves the web page, the connection is automatically ended. This function is comprised as a plug in module in the web page, and is a standard procedure in browsers such as MS Internet Explorer and Netscape.



## Claims

1. A method of connecting a participant to a multi-party conference by means of a conference unit (15) in an IP network (3), characterized by the steps of:

- 5     - registering and identifying each user (5, 7, 9) connecting to the conference unit;  
      - connecting each registered user (5, 7, 9) to the multi-party conference.

2. A method according to claim 1, wherein at least one user connects to the conference unit in the following way:

- 10    - downloading an interactive program to the user's own computer, said program being arranged to connect the computer to a particular conference.

3. A method according to claim 2, wherein the interactive program is downloaded to the user's computer when a particular web page is opened from the user's computer.

15

4. A method according to any one of the claims 1, 2 or 3, wherein ordinary telephones (11) connecting to a voice gateway (5) are connected to the conference.

5. A method according to any one of the claims 1-4, wherein the identities of the parties to the conference are displayed on a web page during the conference.

20

6. A method according to any one of the claims 1-5, wherein information about the conference is shown on a web page prior to the conference.

25    7. An apparatus for establishing multi-party connections in an IP network (3) to which a number of terminals (7, 9) is connected, characterized by

- a multi-party conference unit (15), and
- a web page (13) comprising a program which will connect any unit (7, 9) that opens the web page (13) to the multi-party conference unit (15).

30

8. An apparatus according to claim 7, characterized in that the program comprised in the web page is adapted to be downloaded to the unit (7, 9) and executed on this unit automatically.

5 9. An apparatus according to claim 7 or 8, characterized by

- at least one voice gateway (5) connecting at least one PSTN network (1) to the IP network (5),

- at least one telephone (11) connected to the PSTN network (1), and

- at least one register unit (19) providing information about the location of the multi-

10 party conference unit (15) to the voice gateway (5).

1 / 2







FIG.1


2/2



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup>:</b> <b>H04L 12/18, 12/66</b>	<b>A3</b>	<b>(11) International Publication Number:</b> <b>WO 98/59461</b> <b>(43) International Publication Date:</b> 30 December 1998 (30.12.98)
<b>(21) International Application Number:</b> PCT/SE98/01203 <b>(22) International Filing Date:</b> 22 June 1998 (22.06.98) <b>(30) Priority Data:</b> 9702383-2      23 June 1997 (23.06.97)      SE <b>(71) Applicants (for all designated States except US):</b> TELEFON-AKTIEBOLAGET LM ERICSSON (publ) [SE/SE]; S-126 25 Stockholm (SE). TELIA AB [SE/SE]; S-123 86 Farsta (SE).	<b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).	
<b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only):</b> KANTER, Theo [NL/SE]; Rönninge skolväg 35E, S-144 62 Rönninge (SE). GUSTAFSSON, Henrik [SE/SE]; Vendelsö skolväg 21, S-136 71 Haninge (SE). <b>(74) Agents:</b> HERBJØRNSSEN, Rut et al.; Albihns Patentbyrå Stockholm AB, P.O. Box 3137, S-103 62 Stockholm (SE).	<b>Published</b> <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i> <b>(88) Date of publication of the international search report:</b> 18 March 1999 (18.03.99)	

(54) Title: METHOD AND DEVICE IN DATA NETWORK



## (57) Abstract

The present invention relates to a method and an apparatus for making multi-party connections in an Internet Protocol (IP) network. A web page comprises a program, for example a Java applet, connecting the web page to a multi-party conference unit, MCU, in such a way that visitors to the web page will become members of a group meeting handled by the MCU. A voice gateway is used to connect ordinary telephones to the MCU.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 98/01203

## A. CLASSIFICATION OF SUBJECT MATTER

IPC6: H04L 12/18, H04L 12/66

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC6: H04M, H04L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

WPIL, EDOC, JAPIO, INSPEC

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0779732 A2 (ONLIVE! TECHNOLOGIES, INC.), 18 June 1997 (18.06.97), page 3, line 30 - line 43	1
A	--	2-9
P,X	EP 0817451 A2 (AT&T CORP.), 7 January 1998 (07.01.98), column 3, line 51 - column 4, line 41; column 5, line 6 - line 21; column 5, line 33 - line 46	1-3,7
P,A	--	4-6,8-9

☒ Further documents are listed in the continuation of Box C.

☒ See patent family annex.

\* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

20 January 1999

Date of mailing of the international search report

26-01-1999

Name and mailing address of the ISA/

Swedish Patent Office

Box 5055, S-102 42 STOCKHOLM

Facsimile No. +46 8 666 02 86

Authorized officer

Christina Halldin

Telephone No. +46 8 782 25 00

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 98/01203

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
L,X	http://www.vocaltec.com/pr_atrium.htm, VocalTec Press Release 5 mars 1998, "VOCALTEC INTRODUCES "ATRIUM" ENABLING FREE MULTIPARTY CONFERENCE CALLS BETWEEN TRADITIONAL TELEPHONE CALLERS AND PC USERS." cited to establish the date of the pressrelease, 19 May 1997	1-7,9
L,Y	--	8
Y	WO 9715007 A1 (BRITISH TELECOMMUNICATIONS PUBLIC LIMITED COMPANY), 24 April 1997 (24.04.97), page 5, line 18 - line 29	8
A	IBM Technical Disclosure Bulletin, Volume 22, No 9, February 1980, A.F. Higginbotham et al, "TELECONFERENCE SYSTEMS" page 3923 - page 3925	1-9
A	JP 8307844 A (SONY CORP), 22 November 1996 (22.11.96), abstract	1-9
A	JP 8256218 A (FUJITSU LTD), 1 October 1996 (01.10.96), abstract	1-9
	-----	



**INTERNATIONAL SEARCH REPORT**

Information on patent family members

International application No.

PCT/SE 98/01203

Patent document cited in search report			Publication date	Patent family member(s)		Publication date
EP	0779732	A2	18/06/97	JP	9204200 A	05/08/97
-----						
EP	0817451	A2	07/01/98	CA	2205703 A	27/12/97
				JP	10098467 A	14/04/98
-----						
WO	9715007	A1	24/04/97	AU	7311196 A	07/05/97
				CA	2234091 A	24/04/97
				EP	0856171 A	05/08/98
				NO	981693 A	15/06/98
-----						
JP	8307844	A	22/11/96	NONE		
-----						
JP	8256218	A	01/10/96	US	5737321 A	07/04/98
-----						